

Women and Alcohol in Gothenburg (WAG): Interviews 1994-1998

SND-ID: ext0047-2.

Creator/Principal investigator(s)

Gunnel Hensing - University of Gothenburg, Department of Public Health and Community Medicine

Fredrik Spak - University of Gothenburg, Department of Public Health and Community Medicine

Research principal

[University of Gothenburg](#) - Department of Public Health and Community Medicine

Description

The study Women and Alcohol in Gothenburg (WAG) is a longitudinal study that started in 1986. WAG has data from three interview waves, 1989-1992, 1994-1998 and 2000-2002. It comprises data from 2421 interviews, including 1432 baseline interviews and 989 follow-up interviews.

In 2013 a new data collection has started in the project.

WAG is designed as a two stage study. In the first step, specific female birth cohorts included in the study population for the first time and registered in central and western districts of Gothenburg, received a 13-item alcohol problem screening questionnaire called Women Screening and Alcohol (SWAG). In the second step, women were selected for a structured interview by stratified sampling according to their scores in the SWAG questionnaire. This two-step way enables the group of women with alcohol problems to be greater than in a random sampling.

Each wave of data collection consist of baseline interviews birth cohorts included for the first time, as well as follow-up interviews with earlier baseline cohorts.

The structured interview questionnaire mainly comprises issues of alcohol habits and mental health, including psychiatric disorders. The questionnaire further covers topics such as women's working life and family situation, socioeconomic background factors, legal and illegal drug use, past experience from childhood and adolescence and sexual abuse and physical violence during child- and adulthood. Psychiatric diagnoses have been established by clinician interviewers according to the International Classification of Disease (ICD), DSM-III-R and DSM-IV. In the third data collection between 2000 and 2002, the instrument called International Neuropsychiatric Interview (M.I.N.I) was included in the questionnaire and used for diagnostic purpose.

Purpose:

The primary aim of the project is to follow the development of drinking habits and alcohol problems, to examine the motives women have to drink alcohol, to study the negative consequences of alcohol and to study the relationship between alcohol problems, mental health disorders, anxiety and depression.

Data collection between 1994-1998 consist of baseline interviews with birth cohorts included for the first time, as well as follow-up interviews with earlier baseline cohorts.

Data contains personal data

No

Unit of analysis

[Individual](#)

Population

Women aged 25-65 years and residing in Gothenburg, at baseline.

Time Method

[Longitudinal: Cohort/Event-based](#)

Sampling procedure

[Probability: Stratified](#)

Time period(s) investigated

1994 - 1998

Data format / data structure

[Numeric](#)

Data collection 1

- Mode of collection: Face-to-face interview
- Time period(s) for data collection: 1994 - 1998
- Source of the data: Population group

Geographic spread

Geographic location: [Sweden](#)

Geographic description: Gothenburg

Responsible department/unit

Department of Public Health and Community Medicine

Research area

[Medical and health sciences](#) (Standard för svensk indelning av forskningsämnen 2011)

[Health sciences](#) (Standard för svensk indelning av forskningsämnen 2011)

[Public health, global health, social medicine and epidemiology](#) (Standard för svensk indelning av forskningsämnen 2011)

[Health](#) (CESSDA Topic Classification)

Keywords

[Health services](#), [Cohort studies](#), [Psychiatry](#), [Life style](#), [Longitudinal studies](#), [Prospective studies](#), [Population surveillance](#), [Socioeconomic factors](#), [Risk factors](#), [Women's health](#), [Women](#), [Alcoholism](#), [Alcohol drinking](#), [Alcohol-related disorders](#), [Family](#), [Public health](#), [Leisure activities](#), [Health](#), [Substance-related disorders](#), [Depression](#), [Interpersonal relations](#), [Mental health](#), [Mass screening](#), [Sick leave](#), [Suicidal ideation](#), [Self concept](#), [Social conditions](#), [Social class](#), [Occupational exposure](#), [Epidemiology](#), [Mental illness](#)

Publications

Hensing G, Spak F, Thundal KL, Ostlund A. Decreased risk of alcohol dependence and/or misuse in women with high self-assertiveness and leadership abilities. Alcohol Alcohol. 2003 May-Jun;38(3):232-8.

[Read full text](#)

Östlund A, Hensing G, Sundh V, Spak F. Changes in some personality traits after recovery from alcohol dependence/abuse, anxiety and depression--results of a 5-year follow-up in a general population sample of women. Nord J Psychiatry. 2007;61(4):279-87.

[Read full text](#)

If you have published anything based on these data, [please notify us](#) with a reference to your publication(s). If you are responsible for the catalogue entry, you can update the metadata/data description in DORIS.

Accessibility level

Access to data through an external actor
Access to data is restricted

Homepage

[The study homepage](#)

Contact for questions about the data

Gunnel Hensing

gunnel.hensing@socmed.gu.se

Related research data in SND's catalogue

[Women and Alcohol in Gothenburg \(WAG\): Interviews 1989-1992](#)

[Women and Alcohol in Gothenburg \(WAG\): Interviews 2000-2002](#)

Download metadata

[DataCite](#)

[DDI 2.5](#)

[DDI 3.3](#)

[DCAT-AP-SE 2.0](#)

[JSON-LD](#)

[PDF](#)

[Citation \(CLS\)](#)